



M250



Codice Code Bestell-Nr.	ØS	Alesaggio Bore Kolben-Ø	Corsa Stroke Hub	L	ØI	C	F	LF	F1	LF1	CH	kg
SBFG200400100			100	238								0,60
SBFG200400200			200	338								0,74
SBFG200400300	20	40	300	438	15	58	M14x1,5	23	M16x1,5	30	18	0,98
SBFG200400400			400	538								1,23
SBFG200400500			500	638								1,47
SBFG300500100			100	258								1,10
SBFG300500200			200	358								1,65
SBFG300500300	30	50	300	458	20	65	M20x1,5	30	M20x1,5	40	26	2,20
SBFG300500400			400	558								2,75
SBFG300500500			500	658								3,30
SBFG350600100			100	285								1,68
SBFG350600200			200	385								2,43
SBFG350600300	35	60	300	485	24	75	M24x2	35	M27x2	50	32	3,18
SBFG350600400			400	585								3,95
SBFG350600500			500	685								4,68
SBFG400700100			100	297								2,26
SBFG400700200			200	397								3,25
SBFG400700300	40	70	300	497	27	75	M27x2	30	M30x2	60	36	4,26
SBFG400700400			400	597								5,25
SBFG400700500			500	697								6,25
SBFG500800100			100	328								3,51
SBFG500800200			200	428								5,12
SBFG500800300	50	80	300	528	27	83	M27x2	38	M36x2	70	45	6,65
SBFG500800400			400	628								8,18
SBFG500800500			500	728								9,71
SBFG501000100			100	355								4,18
SBFG501000200			200	455								5,70
SBFG501000300	50	100	300	555	33	88	M33x2	43	M36x2	70	45	7,25
SBFG501000400			400	655								8,79
SBFG501000500			500	755								10,33

MATERIALE - MATERIAL:

ACCIAIO - STEEL - STAHL: UNI C45 SAE 1045 - CROMO-CHROME-CHROM: 25 MICRON ±5 Rating 9/120 h ISO 10289 - 1999/ISO 9227-NSS