


HM5


Dubbelwerkende Cilinder



Artikelnummer	Ø D	Ø AL	Ø S	K Slag	Z	Kg	E BSP	Ø P	H	V	M	H1	V1	M1
HM5032200050	42	32	20	50	214	1,75	1/4"	16,2	35	16	34	35	20	25
HM5032200100				100	264	2,10								
HM5032200150				150	314	2,45								
HM5032200200				200	364	2,80								
HM5032200250				250	414	3,15								
HM5032200300				300	464	3,50								
HM5032200400				400	564	4,20								
HM5032200500				500	664	4,90								
HM51200100	50	40	20	100	289	2,77	1/4"	16,2	35	16	34	35	20	25
HM51200150				150	339	3,16								
HM51200200				200	389	3,56								
HM51200250				250	439	3,97								
HM51200300				300	489	4,36								
HM51200350				350	539	4,77								
HM51200400				400	589	5,16								
HM51200450				450	639	5,57								
HM51200500	500	689	5,97											
HM51250100	50	40	25	100	289	2,94	1/4"	16,2	35	16	34	35	20	25
HM51250150				150	339	3,40								
HM51250200				200	389	3,87								
HM51250250				250	439	4,33								
HM51250300				300	489	4,81								
HM51250350				350	539	5,27								
HM51250400				400	589	5,74								
HM51250450				450	639	6,22								
HM51250500	500	689	6,68											
HM51250550	550	739	7,15											
HM51250600	600	789	7,61											
HM52250100	60	50	25	100	310	4,05	3/8"	20,25	40	20	40	45	25	30
HM52250150				150	360	4,60								
HM52250200				200	410	5,14								
HM52250250				250	460	5,63								
HM52250300				300	510	6,16								
HM52250350				350	560	6,69								
HM52250400				400	610	7,23								
HM52250450				450	660	7,75								
HM52250500				500	710	8,26								
HM52250550				550	760	8,84								
HM52250600				600	810	9,34								
HM52250700				700	910	10,40								
HM52250800				800	1010	11,46								
HM52251000				1000	1210	13,58								
HM52300100	60	50	30	100	310	4,25	3/8"	20,25	40	20	40	45	25	30
HM52300150				150	360	4,87								
HM52300200				200	410	5,48								
HM52300250				250	460	6,11								
HM52300300				300	510	6,74								
HM52300350				350	560	7,33								
HM52300400				400	610	7,96								
HM52300450				450	660	8,56								
HM52300500				500	710	9,17								
HM52300550				550	760	9,79								
HM52300600				600	810	10,40								
HM52300700				700	910	11,63								
HM52300800				800	1010	12,85								
HM52301000				1000	1210	15,31								
HM53300100	70	60	30	100	340	6,22	3/8"	25,25	50	25	50	50	30	35
HM53300150				150	390	6,89								
HM53300200				200	440	7,57								
HM53300250				250	490	8,25								
HM53300300				300	540	8,92								
HM53300350				350	590	9,60								
HM53300400				400	640	10,28								
HM53300450				450	690	10,95								
HM53300500				500	740	11,63								
HM53300550				550	790	12,30								
HM53300600				600	840	12,97								
HM53300700				700	940	14,33								
HM53300800				800	1040	15,68								
HM53301000				1000	1240	18,38								

HM5

Dubbelwerkende Cilinder




Artikelnummer	Ø D	Ø AL	Ø S	K Slag	Z	Kg	E BSP	Ø P	H	V	M	H1	V1	M1
HM53350100	70	60	35	100	340	6,45	3/8"	25,25	50	25	50	50	30	35
HM53350150				150	390	7,23								
HM53350200				200	440	8,00								
HM53350250				250	490	8,78								
HM53350300				300	540	9,56								
HM53350350				350	590	10,33								
HM53350400				400	640	11,11								
HM53350450				450	690	11,88								
HM53350500				500	740	12,66								
HM53350550				550	790	13,44								
HM53350600				600	840	14,21								
HM53350700				700	940	15,77								
HM53350800				800	1040	19,34								
HM53351000				1000	1240	20,42								
HM53400200	70	60	40	200	440	8,65	3/8"	25,25	50	25	50	50	30	35
HM53400250				250	490	9,54								
HM53400300				300	540	10,43								
HM53400350				350	590	11,32								
HM53400400				400	640	12,21								
HM53400450				450	690	13,10								
HM53400500				500	740	13,99								
HM53400550				550	790	14,88								
HM53400600				600	840	15,77								
HM53400700				700	940	17,56								
HM53400800				800	1040	19,34								
HM53401000	1000	1240	22,91											
HM5063400200	73	63	40	200	440	8,86	3/8"	25,25	50	25	50	50	30	35
HM5063400250				250	490	9,77								
HM5063400300				300	540	10,68								
HM5063400350				350	590	11,59								
HM5063400400				400	640	12,45								
HM5063400450				450	690	13,41								
HM5063400500				500	740	14,31								
HM5063400550				550	790	15,22								
HM5063400600				600	840	16,16								
HM5063400700				700	940	17,97								
HM5063400800				800	1040	19,79								
HM5063401000	1000	1240	23,44											
HM54350100	80	70	35	100	340	7,44	3/8"	25,25	50	25	50	50	30	35
HM54350150				150	390	8,28								
HM54350200				200	440	9,11								
HM54350250				250	490	9,95								
HM54350300				300	540	10,79								
HM54350350				350	590	11,63								
HM54350400				400	640	12,46								
HM54350450				450	690	13,30								
HM54350500				500	740	14,14								
HM54350550				550	790	14,98								
HM54350600				600	840	15,81								
HM54350700				700	940	17,49								
HM54350800				800	1040	19,16								
HM54351000				1000	1240	22,51								
HM54400100	80	70	40	100	340	7,82	3/8"	25,25	50	25	50	50	30	35
HM54400150				150	390	8,77								
HM54400200				200	440	9,73								
HM54400250				250	490	10,68								
HM54400300				300	540	11,63								
HM54400350				350	590	12,59								
HM54400400				400	640	13,54								
HM54400450				450	690	14,48								
HM54400500				500	740	15,44								
HM54400550				550	790	16,39								
HM54400600				600	840	17,34								
HM54400700				700	940	19,26								
HM54400800				800	1040	21,16								
HM54401000				1000	1240	24,97								

Product Specificaties	
Max werkdruk cilinder (Bar)	210
Max snelheid cilinder (m/s)	0,5
Temperatuur afdichtingen (°C)	-25 / +80

HM5

Dubbelwerkende Cilinder



Artikelnummer	Ø D	Ø AL	Ø S	K Slag	Z	Kg	E BSP	Ø P	H	V	M	H1	V1	M1
HM55400200	92	80	40	200	475	13,33	1/2"	30,25	60	30	50	60	35	45
HM55400250				250	525	14,46								
HM55400300				300	575	15,58								
HM55400400				400	675	17,83								
HM55400500				500	775	20,08								
HM55400600				600	875	22,34								
HM55400700				700	975	24,58								
HM55400800				800	1075	26,84								
HM55401000				1000	1275	31,34								
HM55500200	92	80	50	200	475	14,60	1/2"	30,25	60	30	50	60	35	45
HM55500250				250	525	16,00								
HM55500300				300	575	17,40								
HM55500400				400	675	20,21								
HM55500500				500	775	23,02								
HM55500600				600	875	25,82								
HM55500700				700	975	28,62								
HM55500800				800	1075	31,43								
HM55501000				1000	1275	37,40								
HM5090500300	105	90	50	300	616	23,65	1/2"	40,25	80	40	70	70	40	60
HM5090500400				400	716	26,98								
HM5090500500				500	816	30,28								
HM5090500600				600	916	33,65								
HM5090500700				700	1016	36,98								
HM5090500800				800	1116	40,32								
HM5090501000				1000	1316	46,98								
HM56500200	115	100	50	200	540	24,14	1/2"	40,25	80	40	70	70	40	60
HM56500250				250	590	25,90								
HM56500300				300	640	27,66								
HM56500400				400	740	31,17								
HM56500500				500	840	34,69								
HM56500600				600	940	38,21								
HM56500700				700	1040	41,73								
HM56500800				800	1140	45,24								
HM56501000				1000	1340	52,28								
HM56600300	115	100	60	300	640	29,82	1/2"	40,25	80	40	70	70	40	60
HM56600400				400	740	34,02								
HM56600500				500	840	38,21								
HM56600600				600	940	42,41								
HM56600700				700	1040	46,61								
HM56600800				800	1140	50,80								
HM56601000				1000	1340	59,18								